

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3586	((mining or analyz\$3) with transaction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/02 08:38
L2	377	1 and warehouse	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/02 08:38
L3	24	2 and (cluster\$3 with transaction\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/02 08:40
L4	1	3 and @ad<"20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/02 08:41
L5	1	2 and (707/6).cccls. and @ad<"20001218"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/09/02 08:41



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used: **cluster transaction mining warehouse**Found **16,920** of **209,709**

Sort results by

[Save results to a Binder](#)[Try an Advanced Search](#)

Display results

[Search Tips](#)[Try this search in The ACM Guide](#)
☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Teaching data warehousing and data mining in a graduate program of information technology](#)

Roger Fang, Sama Tuladhar

May 2006 **Journal of Computing Sciences in Colleges**, Volume 21 Issue 5**Publisher:** Consortium for Computing Sciences in CollegesFull text available: [pdf\(316.55 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Data warehousing and data mining are technologies that deliver critical and optimally useful information to facilitate performance analysis of business organizations. These technologies are not only an emerging trend in information technology but also a booming market in a range of industries. In light of this continuously growing demand, schools are accelerating to prepare students with these technologies. This paper describes the key components that comprise a course which would introduce both ...

2 [Exploring data mining implementation](#)



Karim K. Hirji

July 2001 **Communications of the ACM**, Volume 44 Issue 7**Publisher:** ACM PressFull text available: [pdf\(101.20 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#), [html\(40.65 KB\)](#) [review](#)

3 [Warehousing and mining Web logs](#)



Karuna P. Joshi, Anupam Joshi, Yelena Yesha, Raghu Krishnapuram

November 1999 **Proceedings of the 2nd international workshop on Web information and data management WIDM '99****Publisher:** ACM PressFull text available: [pdf\(1.66 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Analyzing Web Logs for usage and access trends can not only provide important information to web site developers and administrators, but also help in creating adaptive web sites. While there are many existing tools that generate fixed reports from web logs, they typically do not allow ad-hoc analysis queries. Moreover, such tools cannot discover hidden patterns of access embedded in the access logs. We describe a relational OLAP (ROLAP) approach for creating a web-log warehouse. This is pop ...

Keywords: Web logs, Web mining, ad hoc analysis, clustering, user interface

4 Entropy-based subspace clustering for mining numerical data



Chun-Hung Cheng, Ada Waichee Fu, Yi Zhang

August 1999 **Proceedings of the fifth ACM SIGKDD international conference on Knowledge discovery and data mining KDD '99**

Publisher: ACM Press

Full text available: [pdf\(1.08 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

5 Discovering Internet marketing intelligence through online analytical web usage mining



Alex G. Büchner, Maurice D. Mulvenna

December 1998 **ACM SIGMOD Record**, Volume 27 Issue 4

Publisher: ACM Press

Full text available: [pdf\(772.06 KB\)](#) Additional Information: [full citation](#), [abstract](#), [citations](#), [index terms](#)

This article describes a novel way of combining data mining techniques on Internet data in order to discover actionable marketing intelligence in electronic commerce scenarios. The data that is considered not only covers various types of server and web meta information, but also marketing data and knowledge. Furthermore, heterogeneity resolution thereof and Internet- and electronic commerce-specific pre-processing activities are embedded. A generic web log data hypercube is formally defined ...

6 Research track: SEWeP: using site semantics and a taxonomy to enhance the Web personalization process



M. Eirinaki, M. Vazirgiannis, I. Varlamis

August 2003 **Proceedings of the ninth ACM SIGKDD international conference on Knowledge discovery and data mining KDD '03**

Publisher: ACM Press

Full text available: [pdf\(429.65 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Web personalization is the process of customizing a Web site to the needs of each specific user or set of users, taking advantage of the knowledge acquired through the analysis of the user's navigational behavior. Integrating usage data with content, structure or user profile data enhances the results of the personalization process. In this paper, we present SEWeP, a system that makes use of both the usage logs and the semantics of a Web site's content in order to personalize it. Web content is ...

Keywords: Web mining, Web personalization, concept hierarchies, semantic annotation of Web content

7 Fast detection of communication patterns in distributed executions



Thomas Kunz, Michiel F. H. Seuren

November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research CASCON '97**

Publisher: IBM Press

Full text available: [pdf\(4.21 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Understanding distributed applications is a tedious and difficult task. Visualizations based on process-time diagrams are often used to obtain a better understanding of the execution of the application. The visualization tool we use is Poet, an event tracer developed at the University of Waterloo. However, these diagrams are often very complex

and do not provide the user with the desired overview of the application. In our experience, such tools display repeated occurrences of non-trivial commun ...

8 Contributed articles on online, interactive, and anytime data mining: Requirements for clustering data streams



Daniel Barbará

January 2002 **ACM SIGKDD Explorations Newsletter**, Volume 3 Issue 2

Publisher: ACM Press

Full text available: pdf(486.13 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

Scientific and industrial examples of data streams abound in astronomy, telecommunication operations, banking and stock-market applications, e-commerce and other fields. A challenge imposed by continuously arriving data streams is to analyze them and to modify the models that explain them as new data arrives. In this paper, we analyze the requirements needed for clustering data streams. We review some of the latest algorithms in the literature and assess if they meet these requirements.

Keywords: Data streams, clustering, outliers, tracking changing models

9 Web personalization: Web personalization integrating content semantics and navigational patterns



Magdalini Eirinaki, Charalampos Lamos, Stratos Paulakis, Michalis Vazirgiannis

November 2004 **Proceedings of the 6th annual ACM international workshop on Web information and data management WIDM '04**

Publisher: ACM Press

Full text available: pdf(502.59 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The amounts of information residing on web sites make users' navigation a hard task. To address this problem, web sites provide recommendations to the end users, based on similar users' navigational patterns mined from past visits. In this paper we introduce a recommendation method, which integrates usage data recorded in web logs, and the conceptual relationships between web documents. In the proposed framework, the usage-oriented URI representation of web pages and users' behavior is augmen ...

Keywords: concept hierarchies, semantic web mining, semantic web personalization, web content semantics

10 Book reviews: Data mining: concepts and techniques by Jiawei Han and Micheline Kamber



Fernando Berzal, Nicolfás Matín

June 2002 **ACM SIGMOD Record**, Volume 31 Issue 2

Publisher: ACM Press

Full text available: pdf(308.51 KB) Additional Information: [full citation](#)


11 DBMiner: a system for data mining in relational databases and data warehouses



Jiawei Han, Jenny Y. Chiang, Sonny Chee, Jianping Chen, Qing Chen, Shan Cheng, Wan Gong, Micheline Kamber, Krzysztof Kopinski, Gang Liu, Yijun Lu, Nebojsa Stefanovic, Lara Winstone, Betty B. Xia, Osmar R. Zaiane, Shuhua Zhang, Hua Zhu

November 1997 **Proceedings of the 1997 conference of the Centre for Advanced Studies on Collaborative research CASCON '97**

Publisher: IBM Press

Full text available:  pdf(280.67 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

A data mining system, DBMiner, has been developed for interactive mining of multiple-level knowledge in large relational databases and data warehouses. The system implements a wide spectrum of data mining functions, including characterization, comparison, association, classification, prediction, and clustering. By incorporating several interesting data mining techniques, including OLAP and attribute-oriented induction, statistical analysis, progressive deepening for mining multiple-level knowledge ...

12 [Parallel database processing on a 100 Node PC cluster: cases for decision support](#)



[query processing and data mining](#)

Takayuki Tamura, Masato Oguchi, Masaru Kitsuregawa

November 1997 **Proceedings of the 1997 ACM/IEEE conference on Supercomputing (CDROM) Supercomputing '97**

Publisher: ACM Press

Full text available:  pdf(157.74 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

We developed a PC cluster system consists of 100 PCs. Each PC employs the 200MHz Pentium Pro CPU and is connected with others through an ATM switch. We picked up two kinds of data intensive applications. One is decision support query processing. And the other is data mining, specifically, association rule mining. As a high speed network, ATM technology has recently come to be a de facto standard. While other high performance network standards are also available, ATM networks are widely used from ...

13 [Research track poster: Privacy-preserving distributed k-means clustering over arbitrarily partitioned data](#)



[arbitrarily partitioned data](#)

Geetha Jagannathan, Rebecca N. Wright

August 2005 **Proceeding of the eleventh ACM SIGKDD international conference on Knowledge discovery in data mining KDD '05**

Publisher: ACM Press

Full text available:  pdf(872.07 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Advances in computer networking and database technologies have enabled the collection and storage of vast quantities of data. Data mining can extract valuable knowledge from this data, and organizations have realized that they can often obtain better results by pooling their data together. However, the collected data may contain sensitive or private information about the organizations or their customers, and privacy concerns are exacerbated if data is shared between multiple organizations. Distri ...

14 [Strategic directions in electronic commerce and digital libraries: towards a digital agora](#)



[agora](#)

Nabil Adam, Yelena Yesha

December 1996 **ACM Computing Surveys (CSUR)**, Volume 28 Issue 4

Publisher: ACM Press

Full text available:  pdf(244.34 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

15 [Information management technology in Asia: InfiniteDB: a pc-cluster based parallel massive database management system](#)



[massive database management system](#)


Jianzhong Li, Hong Gao, Jizhou Luo, Shengfei Shi, Wei Zhang

June 2007 **Proceedings of the 2007 ACM SIGMOD international conference on Management of data SIGMOD '07**

Publisher: ACM Press

Full text available:

Additional Information:

 pdf(291.57 KB)

[full citation](#), [abstract](#), [references](#), [index terms](#)

This paper describes a PC-cluster based parallel DBMS, InfiniteDB, developed by the authors. InfiniteDB aims at efficiently storing and processing of massive databases in response to the rapidly growing in database size and the need of high performance analyzing of massive databases. It supports the parallelisms of intra-query, inter-query, intra-operation, inter-operation and pipelining. It provides effective strategies for processing massive databases including the multiple data declusterin ...

Keywords: data declustering, parallel algorithm, parallel database, parallel query processing

16 [DB-4 \(databases\): similarity search: Localized signature table: fast similarity search on transaction data](#)

Qiang Jing, Rui Yang, Panos Kalnis, Anthony K. H. Tung

November 2004 **Proceedings of the thirteenth ACM international conference on Information and knowledge management CIKM '04**

Publisher: ACM Press

Full text available:  pdf(200.77 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Recently, techniques for supporting efficient similarity search over huge transaction datasets have emerged as an important research area. Several indexing schemes have been proposed towards this direction. Typically, these schemes provide a tradeoff between searching efficiency and indexing overhead in terms of space.

In this paper, we propose a novel indexing scheme for similarity search on transaction data. Based on well-studied clustering techniques, we develop a construction algor ...

Keywords: data mining, indexing, similarity search, transaction data

17 [Extracting predicates from mining models for efficient query evaluation](#)

Surajit Chaudhuri, Vivek Narasayya, Sunita Sarawagi

September 2004 **ACM Transactions on Database Systems (TODS)**, Volume 29 Issue 3

Publisher: ACM Press

Full text available:  pdf(698.37 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Modern relational database systems are beginning to support ad hoc queries on mining models. In this article, we explore novel techniques for optimizing queries that contain predicates on the results of application of mining models to relational data. For such queries, we use the internal structure of the mining model to automatically derive traditional database predicates. We present algorithms for deriving such predicates for a large class of popular discrete mining models: decision trees, nai ...

Keywords: Complex predicate optimization, simpler rules from complex predictive functions

18 [Web mining for web personalization](#)

Magdalini Eirinaki, Michalis Vazirgiannis

February 2003 **ACM Transactions on Internet Technology (TOIT)**, Volume 3 Issue 1

Publisher: ACM Press

Full text available:  pdf(293.73 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Web personalization is the process of customizing a Web site to the needs of specific

users, taking advantage of the knowledge acquired from the analysis of the user's navigational behavior (usage data) in correlation with other information collected in the Web context, namely, structure, content, and user profile data. Due to the explosive growth of the Web, the domain of Web personalization has gained great momentum both in the research and commercial areas. In this article we present a survey ...

Keywords: WWW, Web personalization, Web usage mining, user profiling

19 Business intelligence: Developing a characterization of business intelligence



workloads for sizing new database systems

Ted J. Wasserman, Patrick Martin, David B. Skillicorn, Haider Rizvi

November 2004 **Proceedings of the 7th ACM international workshop on Data warehousing and OLAP DOLAP '04**

Publisher: ACM Press

Full text available:  pdf(404.55 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#), [review](#)

Computer system sizing involves estimating the amount of hardware resources needed to support a new workload not yet deployed in a production environment. In order to determine the type and quantity of resources required, a methodology is required for describing the new workload. In this paper, we discuss the sizing process for database management systems and describe an analysis for characterizing business intelligence (BI) workloads, using the TPC-H benchmark as our workload basis. The char ...

Keywords: business intelligence, capacity planning, clustering, sizing, workload characterization

20 Short papers: COFI approach for mining frequent itemsets revisited



Mohammad El-Hajj, Osmar R. Zaiane

June 2004 **Proceedings of the 9th ACM SIGMOD workshop on Research issues in data mining and knowledge discovery DMKD '04**

Publisher: ACM Press

Full text available:  pdf(267.02 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

The COFI approach for mining frequent itemsets, introduced recently, is an efficient algorithm that was demonstrated to outperform state-of-the-art algorithms on synthetic data. For instance, COFI is not only one order of magnitude faster and requires significantly less memory than the popular FP-Growth, it is also very effective with extremely large datasets, better than any reported algorithm. However, COFI has a significant drawback when mining dense transactional databases which is the case ...

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2007 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)

Google

cluster transaction mining warehouse

Search

[Advanced Search](#)
[Preferences](#)New! [View and manage your web history](#)

Web

Results 1 - 10 of about **403,000** for **cluster transaction mining warehouse**. (0.13 seconds)**DBMS -October 1997 - Data Warehouse Architect**

Your Data **Warehouse** is Your Data **Mining** Platform. ... and will provide descriptions of the "centroid" of each **cluster** in terms of the user's original data. ...
www.dbmsmag.com/9710d05.html - 13k - [Cached](#) - [Similar pages](#)

[DOC] Data Mining: Searching Information in Data WarehouseFile Format: Microsoft Word - [View as HTML](#)

These are databases where each record represents a **transaction**, typically some kind of sale. there can be points that do not belong to any **cluster**. ...
www.humandimension.com/foros/marcello.doc - [Similar pages](#)

DSstar: HIDDEN MESSAGES: A DATAMINING OVERVIEW

The richest lode for data **mining** is a data **warehouse** containing ... The process is a purchase **transaction**. Just a few percent of the users drop off at each ...
www.taborcommunications.com/dsstar/01/0515/103026.html - 13k - [Cached](#) - [Similar pages](#)

Hidden Messages - Data mining helps you uncover what your data is ...

The server's log of low-level **transactions** is referred to as clickstream data. ... The richest lode for data **mining** is a data **warehouse** containing ...
www.pcmag.com/article2/0,4149,8637,00.asp?kc=PCAV10209KTX1K0100360 - 119k - [Cached](#) - [Similar pages](#)

[PDF] A Design and Practical Use of Spatial Data Warehouse

File Format: PDF/Adobe Acrobat

effective spatial data **mining**. We adopted the snowflake schema spatial data **warehouse** contains a central fact of the **transaction** ...
ieeexplore.ieee.org/iel5/10226/32596/01525209.pdf?arnumber=1525209 - [Similar pages](#)

[PDF] PARALLEL WEB MINING FOR LINK PREDICTION IN CLUSTER SERVER

File Format: PDF/Adobe Acrobat

Web mining based on **warehouse** and parallel **Web mining**. There are two kinds of http services to **Web cluster** server:.. session persistence (requests from the ...
ieeexplore.ieee.org/iel5/10231/32626/01527326.pdf?arnumber=1527326 - [Similar pages](#)

An efficient cluster and decomposition algorithm for mining ...

First, the CDAR method creates some clusters by reading the database only once, and then clustering the **transaction** records to the kth **cluster**, ...
portal.acm.org/citation.cfm?id=986453&dl=&coll=&CFID=15151515&CFTOKEN=6184618 - [Similar pages](#)

An efficient cluster and decomposition algorithm for mining ...

An efficient **cluster** and decomposition algorithm for **mining** association rules ... 13 [13]
META Group, Data **Warehouse** Marketing Trends/Opportunities: An ...
portal.acm.org/citation.cfm?id=986442.986453 - [Similar pages](#)
[[More results from portal.acm.org](#)]

[PDF] Chapter 16 INTERACTIVE DATA MINING BASED ON PC CLUSTER ENVIRONMENT

File Format: PDF/Adobe Acrobat

Line **Transaction** Processing) had reached the maximum of their capabilities in ...
warehouse by integrating data **mining** with OLAP to offset their weaknesses ...

www.springerlink.com/index/l83679h808520636.pdf - [Similar pages](#)

[PDF] An efficient *cluster* and decomposition algorithm for mining ...

File Format: PDF/Adobe Acrobat

reading the database only once, and then clustering the **transaction** records to the *k*th.

cluster, where the length of a record is *k*. ...

linkinghub.elsevier.com/retrieve/pii/S0020025503002962 - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [Gmail](#) [more ▾](#)[Sign in](#)

Google

cluster transaction mining warehouse market

Search

[Advanced Search](#)
[Preferences](#)New! [View and manage your web history](#)**Web** Results 1 - 10 of about **143,000** for **cluster transaction mining warehouse market basket**. (0.10 seconds)**DBMS -October 1997 - Data Warehouse Architect**

Digging Into Data **Mining**. Your Data **Warehouse** is Your Data **Mining** Platform. A well-known example of affinity grouping is **market basket** analysis. ...

www.dbmsmag.com/9710d05.html - 13k - [Cached](#) - [Similar pages](#)

[PDF] Mark e tBask e tAnalysis Visualization on a Sph e ricalSurface

File Format: PDF/Adobe Acrobat - [View as HTML](#)

tightness. **Market Basket** Analysis. Visualization (MAV). **cluster** related data items. on a spherical surface. **Transaction** Data. Visual **Mining** Platform ...

www.hpl.hp.com/techreports/2001/HPL-2001-3.pdf - [Similar pages](#)

[PDF] Visualization ofDire cted Association in E-Com m e rce Transaction ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

We have used the system to visually **mine**. over a dataset containing 500000 **transactions** covering 600 different products for **market basket** analysis. ...

www.hpl.hp.com/techreports/2000/HPL-2000-160.pdf - [Similar pages](#)

[PPT] Data Models & Technologies

File Format: Microsoft Powerpoint - [View as HTML](#)

Market Basket Analysis; Memory Based Reasoning; **Cluster** Detection ... Beer and Diapers may not be of use; Victoria's Secret **transaction mining** led to ...

www.seas.gwu.edu/~simhaweb/ecom/narahari.ppt - [Similar pages](#)

[PDF] Microsoft PowerPoint - mining.ppt

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Data **Mining** Techniques. **Market Basket** Analysis. Memory Based Reasoning. **Cluster** Detection Victoria's Secret **transaction mining** led to specific ...

www.seas.gwu.edu/~bhagiweb/cs178/materials/lectures/mining.pdf - [Similar pages](#)

Data Mining: Extending the Information Warehouse Framework

Thus, by invoking an association function, the **market basket** analysis application Data **mining** is a key component of an Information **Warehouse** framework. ...

www.almaden.ibm.com/cs/projects/iis/hdb/Projects/data_mining/whitepaper.html - 39k -

[Cached](#) - [Similar pages](#)

[PDF] Visualization of directed associations in e-commerce transaction data

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The server is integrated with the data **warehouse**. and **mining** engines. ... 500000 **transactions** covering 600 different products for **market basket** analysis. ...

graphics.ethz.ch/Downloads/Publications/Papers/2001/p_Hao01.pdf - [Similar pages](#)

[doc] Data Mining: Searching Information in Data Warehouse

File Format: Microsoft Word - [View as HTML](#)

Usually, when applied to sales, the **mining** of association rules is called also **Basket** **Market** Analysis, but this is not the only possible application of the ...

www.humandimension.com/foros/marcello.doc - [Similar pages](#)

[PDF] Knowledge Management Data Warehouses and Data Mining Table of Contents

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Applications for Data **Mining**. - Common Techniques. - **Market Basket** Analysis ... Data

from various online **transaction** processing (OLTP) applications ...

www.wi.wu-wien.ac.at/~hahsler/research/

[datawarehouse_webster2001/talk/download/talk_2.pdf](#) - [Similar pages](#)

[PPT] [Understanding Virtual Blah Blahs...](#)

File Format: Microsoft Powerpoint - [View as HTML](#)

Classical Data **Mining** Applications. Retail. **Market basket** analysis. Political science ... A

collection of items purchased by a customer in one **transaction** ...

www.genepi.med.utah.edu/bioinformatics/BioInfoSeminar8-28-02.ppt - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)

[Next](#)

Download [Google Pack](#): free essential software for your PC

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)